

# 邢台盛凯源实业集团

XTSKY INDUSTRIAL GROUP LIMITED

**Manufacturer & Exporter**

**Add:** Add: Xingtai Industrial zone, Xingtai city, Hebei province, China

**Tel:** +86-319-2608697 **Fax:** +86-319-2608698

**Mobile:** +86-13722498663

**E-mail:** xtskygroup\_henry@yahoo.com

**ceo@xtskygroup.com**

**Skype:** xtskygroup\_henry

**www.xtskygroup.com**




## 汽车同步带 Auto Timing Belt

## 汽车同步带型号与尺寸 Models and Measure of Automotive Synchronous Belt

| Type<br>帶 型                      | ZA    | ZB    | ZH    | YH   | ZR    | YR   | ZS    | YS   | ZAS   | ZBS   | S8M<br>YU | FS    | MY   | MR    | RU    | ZBS   |
|----------------------------------|-------|-------|-------|------|-------|------|-------|------|-------|-------|-----------|-------|------|-------|-------|-------|
| Pitch<br>节距P <sub>h</sub>        | 9.525 | 9.525 | 9.525 | 8.00 | 9.525 | 8.00 | 9.525 | 8.00 | 9.525 | 9.525 | 8.00      | 9.525 | 8.00 | 9.525 | 9.525 | 9.525 |
| Tooth height<br>齿高H <sub>t</sub> | 1.91  | 2.29  | 3.50  | 3.04 | 3.20  | 2.00 | 3.53  | 2.95 | 2.32  | 2.76  | 3.05      | 3.05  | 3.06 | 3.54  | 3.41  | 2.70  |
| belt height<br>帶高H <sub>g</sub>  | 4.10  | 4.50  | 5.50  | 5.20 | 5.40  | 5.10 | 5.70  | 5.20 | 4.62  | 5.0   | 5.30      | 5.35  | 5.21 | 5.69  | 5.40  | 5.05  |

可供：氯丁胶（CR）和氢化丁腈（HNBR） Available : neoprene (CR) and hydrogenated NBR (HNBR)

**规格型号标记**  
**Example of mark**



| ZA           |      |         |              |      |         | S8M          |      |         |              |      |         |
|--------------|------|---------|--------------|------|---------|--------------|------|---------|--------------|------|---------|
| teeth number | type | width   | teeth number | type | width   | teeth number | type | width   | teeth number | type | width   |
| 45           | ZA   | 15-32mm | 133          | ZA   | 15-32mm | 58           | S8M  | 15-32mm | 216          | S8M  | 15-32mm |
| 54           | ZA   | 15-32mm | 134          | ZA   | 15-33mm | 65           | S8M  | 15-32mm | 218          | S8M  | 15-32mm |
| 55           | ZA   | 15-32mm | 137          | ZA   | 15-34mm | 85           | S8M  | 15-32mm | 223          | S8M  | 15-32mm |
| 63           | ZA   | 15-32mm | 139          | ZA   | 15-35mm | 91           | S8M  | 15-32mm | 225          | S8M  | 15-32mm |
| 64           | ZA   | 15-32mm | 142          | ZA   | 15-36mm | 98           | S8M  | 15-32mm | 229          | S8M  | 15-32mm |
| 65           | ZA   | 15-32mm | 144          | ZA   | 15-37mm | 105          | S8M  | 15-32mm | 239          | S8M  | 15-32mm |
| 69           | ZA   | 15-32mm | 146          | ZA   | 15-38mm | 106          | S8M  | 15-32mm | 253          | S8M  | 15-32mm |
| 76           | ZA   | 15-32mm | 148          | ZA   | 15-39mm | 110          | S8M  | 15-32mm | 281          | S8M  | 15-32mm |
| 80           | ZA   | 15-32mm | 169          | ZA   | 15-40mm | 112          | S8M  | 15-32mm |              |      |         |



|     |    |         |  |  |  |     |     |         |  |  |  |
|-----|----|---------|--|--|--|-----|-----|---------|--|--|--|
| 83  | ZA | 15-32mm |  |  |  | 113 | S8M | 15-32mm |  |  |  |
| 84  | ZA | 15-32mm |  |  |  | 115 | S8M | 15-32mm |  |  |  |
| 85  | ZA | 15-32mm |  |  |  | 119 | S8M | 15-32mm |  |  |  |
| 86  | ZA | 15-32mm |  |  |  | 122 | S8M | 15-32mm |  |  |  |
| 87  | ZA | 15-32mm |  |  |  | 123 | S8M | 15-32mm |  |  |  |
| 88  | ZA | 15-32mm |  |  |  | 128 | S8M | 15-32mm |  |  |  |
| 89  | ZA | 15-32mm |  |  |  | 130 | S8M | 15-32mm |  |  |  |
| 90  | ZA | 15-32mm |  |  |  | 132 | S8M | 15-32mm |  |  |  |
| 91  | ZA | 15-32mm |  |  |  | 133 | S8M | 15-32mm |  |  |  |
| 92  | ZA | 15-32mm |  |  |  | 135 | S8M | 15-32mm |  |  |  |
| 93  | ZA | 15-32mm |  |  |  | 136 | S8M | 15-32mm |  |  |  |
| 94  | ZA | 15-32mm |  |  |  | 137 | S8M | 15-32mm |  |  |  |
| 95  | ZA | 15-32mm |  |  |  | 138 | S8M | 15-32mm |  |  |  |
| 96  | ZA | 15-32mm |  |  |  | 139 | S8M | 15-32mm |  |  |  |
| 97  | ZA | 15-32mm |  |  |  | 141 | S8M | 15-32mm |  |  |  |
| 98  | ZA | 15-32mm |  |  |  | 142 | S8M | 15-32mm |  |  |  |
| 99  | ZA | 15-32mm |  |  |  | 146 | S8M | 15-32mm |  |  |  |
| 100 | ZA | 15-32mm |  |  |  | 147 | S8M | 15-32mm |  |  |  |
| 102 | ZA | 15-32mm |  |  |  | 148 | S8M | 15-32mm |  |  |  |
| 104 | ZA | 15-32mm |  |  |  | 149 | S8M | 15-32mm |  |  |  |
| 105 | ZA | 15-32mm |  |  |  | 150 | S8M | 15-32mm |  |  |  |
| 106 | ZA | 15-32mm |  |  |  | 151 | S8M | 15-32mm |  |  |  |
| 107 | ZA | 15-32mm |  |  |  | 152 | S8M | 15-32mm |  |  |  |
| 108 | ZA | 15-32mm |  |  |  | 153 | S8M | 15-32mm |  |  |  |
| 109 | ZA | 15-32mm |  |  |  | 154 | S8M | 15-32mm |  |  |  |
| 110 | ZA | 15-32mm |  |  |  | 162 | S8M | 15-32mm |  |  |  |
| 111 | ZA | 15-32mm |  |  |  | 163 | S8M | 15-32mm |  |  |  |
| 112 | ZA | 15-32mm |  |  |  | 164 | S8M | 15-32mm |  |  |  |
| 113 | ZA | 15-32mm |  |  |  | 168 | S8M | 15-32mm |  |  |  |
| 115 | ZA | 15-32mm |  |  |  | 169 | S8M | 15-32mm |  |  |  |
| 116 | ZA | 15-32mm |  |  |  | 171 | S8M | 15-32mm |  |  |  |
| 117 | ZA | 15-32mm |  |  |  | 173 | S8M | 15-32mm |  |  |  |
| 118 | ZA | 15-32mm |  |  |  | 175 | S8M | 15-32mm |  |  |  |
| 119 | ZA | 15-32mm |  |  |  | 176 | S8M | 15-32mm |  |  |  |
| 120 | ZA | 15-32mm |  |  |  | 179 | S8M | 15-32mm |  |  |  |
| 121 | ZA | 15-32mm |  |  |  | 191 | S8M | 15-32mm |  |  |  |

|     |    |         |  |  |  |     |     |         |  |  |  |
|-----|----|---------|--|--|--|-----|-----|---------|--|--|--|
| 122 | ZA | 15-32mm |  |  |  | 192 | S8M | 15-32mm |  |  |  |
| 123 | ZA | 15-32mm |  |  |  | 193 | S8M | 15-32mm |  |  |  |
| 124 | ZA | 15-32mm |  |  |  | 196 | S8M | 15-32mm |  |  |  |
| 126 | ZA | 15-32mm |  |  |  | 201 | S8M | 15-32mm |  |  |  |
| 127 | ZA | 15-32mm |  |  |  | 209 | S8M | 15-32mm |  |  |  |
| 129 | ZA | 15-32mm |  |  |  | 211 | S8M | 15-32mm |  |  |  |

| RU           |      |         |              |      |         | ZBS          |      |         | RPP          |      |         |
|--------------|------|---------|--------------|------|---------|--------------|------|---------|--------------|------|---------|
| teeth number | type | width   | teeth number | type | width   | teeth number | type | width   | teeth number | type | width   |
| 59           | RU   | 15-32mm | 144          | RU   | 15-32mm | 55           | ZBS  | 15-32mm | 75           | RPP  | 15-32mm |
| 65           | RU   | 15-32mm | 145          | RU   | 15-32mm | 76           | ZBS  | 15-32mm | 76           | RPP  | 15-32mm |
| 70           | RU   | 15-32mm | 146          | RU   | 15-32mm | 77           | ZBS  | 15-32mm | 85           | RPP  | 15-32mm |
| 76           | RU   | 15-32mm | 148          | RU   | 15-32mm | 81           | ZBS  | 15-32mm | 94           | RPP  | 15-32mm |
| 78           | RU   | 15-32mm | 149          | RU   | 15-32mm | 83           | ZBS  | 15-32mm | 97           | RPP  | 15-32mm |
| 79           | RU   | 15-32mm | 150          | RU   | 15-32mm | 87           | ZBS  | 15-32mm | 101          | RPP  | 15-32mm |
| 83           | RU   | 15-32mm | 151          | RU   | 15-32mm | 89           | ZBS  | 15-32mm | 104          | RPP  | 15-32mm |
| 87           | RU   | 15-32mm | 152          | RU   | 15-32mm | 91           | ZBS  | 15-32mm | 108          | RPP  | 15-32mm |
| 89           | RU   | 15-32mm | 153          | RU   | 15-32mm | 92           | ZBS  | 15-32mm | 111          | RPP  | 15-32mm |
| 91           | RU   | 15-32mm | 154          | RU   | 15-32mm | 98           | ZBS  | 15-32mm | 113          | RPP  | 15-32mm |
| 92           | RU   | 15-32mm | 157          | RU   | 15-32mm | 99           | ZBS  | 15-32mm | 114          | RPP  | 15-32mm |
| 93           | RU   | 15-32mm | 158          | RU   | 15-32mm | 101          | ZBS  | 15-32mm | 116          | RPP  | 15-32mm |
| 95           | RU   | 15-32mm | 159          | RU   | 15-32mm | 112          | ZBS  | 15-32mm | 117          | RPP  | 15-32mm |
| 96           | RU   | 15-32mm | 163          | RU   | 15-32mm | 117          | ZBS  | 15-32mm | 118          | RPP  | 15-32mm |
| 97           | RU   | 15-32mm | 164          | RU   | 15-32mm | 118          | ZBS  | 15-32mm | 119          | RPP  | 15-32mm |
| 99           | RU   | 15-32mm | 167          | RU   | 15-32mm | 119          | ZBS  | 15-32mm | 124          | RPP  | 15-32mm |
| 101          | RU   | 15-32mm | 169          | RU   | 15-32mm | 120          | ZBS  | 15-32mm | 125          | RPP  | 15-32mm |
| 102          | RU   | 15-32mm | 175          | RU   | 15-32mm | 122          | ZBS  | 15-32mm | 128          | RPP  | 15-32mm |
| 103          | RU   | 15-32mm | 176          | RU   | 15-32mm | 123          | ZBS  | 15-32mm | 129          | RPP  | 15-32mm |
| 104          | RU   | 15-32mm | 177          | RU   | 15-32mm | 134          | ZBS  | 15-32mm | 130          | RPP  | 15-32mm |
| 105          | RU   | 15-32mm | 178          | RU   | 15-32mm | 135          | ZBS  | 15-32mm | 131          | RPP  | 15-32mm |
| 106          | RU   | 15-32mm | 192          | RU   | 15-32mm | 136          | ZBS  | 15-32mm | 135          | RPP  | 15-32mm |
| 107          | RU   | 15-32mm | 196          | RU   | 15-32mm | 137          | ZBS  | 15-32mm | 136          | RPP  | 15-32mm |
| 108          | RU   | 15-32mm | 197          | RU   | 15-32mm | 139          | ZBS  | 15-32mm | 138          | RPP  | 15-32mm |
| 109          | RU   | 15-32mm | 63           | RU   | 15-32mm | 141          | ZBS  | 15-32mm | 140          | RPP  | 15-32mm |
| 110          | RU   | 15-32mm |              |      |         | 143          | ZBS  | 15-32mm | 150          | RPP  | 15-32mm |



|     |    |         |  |  |  |     |     |         |     |     |         |
|-----|----|---------|--|--|--|-----|-----|---------|-----|-----|---------|
| 111 | RU | 15-32mm |  |  |  | 149 | ZBS | 15-32mm | 153 | RPP | 15-32mm |
| 112 | RU | 15-32mm |  |  |  | 153 | ZBS | 15-32mm | 158 | RPP | 15-32mm |
| 113 | RU | 15-32mm |  |  |  | 163 | ZBS | 15-32mm | 164 | RPP | 15-32mm |
| 116 | RU | 15-32mm |  |  |  | 203 | ZBS | 15-32mm | 167 | RPP | 15-32mm |
| 117 | RU | 15-32mm |  |  |  | 207 | ZBS | 15-32mm | 168 | RPP | 15-32mm |
| 118 | RU | 15-32mm |  |  |  | 111 | ZBS | 15-32mm |     |     |         |
| 119 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 120 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 122 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 123 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 124 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 125 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 126 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 127 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 128 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 129 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 130 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 131 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 132 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 133 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 134 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 135 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 136 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 137 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |
| 142 | RU | 15-32mm |  |  |  |     |     |         |     |     |         |

| MR           |      |         |              |      |         | MY           |      |         |  |  |  |
|--------------|------|---------|--------------|------|---------|--------------|------|---------|--|--|--|
| teeth number | type | width   | teeth number | type | width   | teeth number | type | width   |  |  |  |
| 70           | MR   | 15-32mm | 146          | MR   | 15-32mm | 65           | MY   | 15-32mm |  |  |  |
| 78           | MR   | 15-32mm | 147          | MR   | 15-32mm | 95           | MY   | 15-32mm |  |  |  |
| 87           | MR   | 15-32mm | 148          | MR   | 15-32mm | 99           | MY   | 15-32mm |  |  |  |
| 88           | MR   | 15-32mm | 150          | MR   | 15-32mm | 100          | MY   | 15-32mm |  |  |  |
| 89           | MR   | 15-32mm | 151          | MR   | 15-32mm | 101          | MY   | 15-32mm |  |  |  |
| 91           | MR   | 15-32mm | 152          | MR   | 15-32mm | 102          | MY   | 15-32mm |  |  |  |
| 92           | MR   | 15-32mm | 153          | MR   | 15-32mm | 103          | MY   | 15-32mm |  |  |  |

|     |    |         |     |    |         |     |    |         |  |  |  |
|-----|----|---------|-----|----|---------|-----|----|---------|--|--|--|
| 94  | MR | 15-32mm | 157 | MR | 15-32mm | 105 | MY | 15-32mm |  |  |  |
| 95  | MR | 15-32mm | 163 | MR | 15-32mm | 106 | MY | 15-32mm |  |  |  |
| 96  | MR | 15-32mm | 164 | MR | 15-32mm | 107 | MY | 15-32mm |  |  |  |
| 97  | MR | 15-32mm | 167 | MR | 15-32mm | 108 | MY | 15-32mm |  |  |  |
| 98  | MR | 15-32mm | 177 | MR | 15-32mm | 109 | MY | 15-32mm |  |  |  |
| 101 | MR | 15-32mm | 188 | MR | 15-32mm | 110 | MY | 15-32mm |  |  |  |
| 102 | MR | 15-32mm | 253 | MR | 15-32mm | 111 | MY | 15-32mm |  |  |  |
| 103 | MR | 15-32mm |     |    |         | 112 | MY | 15-32mm |  |  |  |
| 104 | MR | 15-32mm |     |    |         | 114 | MY | 15-32mm |  |  |  |
| 105 | MR | 15-32mm |     |    |         | 116 | MY | 15-32mm |  |  |  |
| 106 | MR | 15-32mm |     |    |         | 117 | MY | 15-32mm |  |  |  |
| 107 | MR | 15-32mm |     |    |         | 119 | MY | 15-32mm |  |  |  |
| 108 | MR | 15-32mm |     |    |         | 121 | MY | 15-32mm |  |  |  |
| 109 | MR | 15-32mm | ZAS |    |         | 123 | MY | 15-32mm |  |  |  |
| 110 | MR | 15-32mm | 119 |    |         | 124 | MY | 15-32mm |  |  |  |
| 111 | MR | 15-32mm | 122 |    |         | 127 | MY | 15-32mm |  |  |  |
| 112 | MR | 15-32mm | 124 |    |         | 128 | MY | 15-32mm |  |  |  |
| 113 | MR | 15-32mm | 133 |    |         | 129 | MY | 15-32mm |  |  |  |
| 114 | MR | 15-32mm |     |    |         | 131 | MY | 15-32mm |  |  |  |
| 116 | MR | 15-32mm |     |    |         | 137 | MY | 15-32mm |  |  |  |
| 117 | MR | 15-32mm |     |    |         | 143 | MY | 15-32mm |  |  |  |
| 118 | MR | 15-32mm |     |    |         | 144 | MY | 15-32mm |  |  |  |
| 119 | MR | 15-32mm |     |    |         | 145 | MY | 15-32mm |  |  |  |
| 120 | MR | 15-32mm |     |    |         | 146 | MY | 15-32mm |  |  |  |
| 121 | MR | 15-32mm |     |    |         | 155 | MY | 15-32mm |  |  |  |
| 122 | MR | 15-32mm |     |    |         | 159 | MY | 15-32mm |  |  |  |
| 123 | MR | 15-32mm |     |    |         | 163 | MY | 15-32mm |  |  |  |
| 124 | MR | 15-32mm |     |    |         | 169 | MY | 15-32mm |  |  |  |
| 125 | MR | 15-32mm |     |    |         | 171 | MY | 15-32mm |  |  |  |
| 127 | MR | 15-32mm |     |    |         | 175 | MY | 15-32mm |  |  |  |
| 128 | MR | 15-32mm |     |    |         | 177 | MY | 15-32mm |  |  |  |
| 129 | MR | 15-32mm |     |    |         | 178 | MY | 15-32mm |  |  |  |
| 130 | MR | 15-32mm |     |    |         | 191 | MY | 15-32mm |  |  |  |
| 131 | MR | 15-32mm |     |    |         | 197 | MY | 15-32mm |  |  |  |
| 133 | MR | 15-32mm |     |    |         | 198 | MY | 15-32mm |  |  |  |
| 134 | MR | 15-32mm |     |    |         | 211 | MY | 15-32mm |  |  |  |

|     |    |         |  |  |  |  |  |  |  |  |  |
|-----|----|---------|--|--|--|--|--|--|--|--|--|
| 136 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 138 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 139 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 140 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 141 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 143 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |
| 144 | MR | 15-32mm |  |  |  |  |  |  |  |  |  |

| YU           |      |         |              |      |         | ZB           |      |         |  |              |      |
|--------------|------|---------|--------------|------|---------|--------------|------|---------|--|--------------|------|
| teeth number | type | width   | teeth number | type | width   | teeth number | type | width   |  | teeth number | type |
| 65           | YU   | 15-32mm | 191          | YU   | 15-32mm | 75           | ZB   | 15-32mm |  | 55           | ZLB  |
| 69           | YU   | 15-32mm | 193          | YU   | 15-33mm | 76           | ZB   | 15-32mm |  | 83           | ZLB  |
| 99           | YU   | 15-32mm | 195          | YU   | 15-34mm | 77           | ZB   | 15-32mm |  | 92           | ZLB  |
| 100          | YU   | 15-32mm | 197          | YU   | 15-35mm | 80           | ZB   | 15-32mm |  | 122          | ZLB  |
| 101          | YU   | 15-32mm | 200          | YU   | 15-36mm | 83           | ZB   | 15-32mm |  | 163          | ZLB  |
| 103          | YU   | 15-32mm | 201          | YU   | 15-37mm | 87           | ZB   | 15-32mm |  |              |      |
| 104          | YU   | 15-32mm | 202          | YU   | 15-38mm | 90           | ZB   | 15-32mm |  |              |      |
| 105          | YU   | 15-32mm | 207          | YU   | 15-39mm | 98           | ZB   | 15-32mm |  | ZAR          |      |
| 106          | YU   | 15-32mm | 211          | YU   | 15-40mm | 117          | ZB   | 15-32mm |  | 124          | ZAR  |
| 107          | YU   | 15-32mm | 223          | YU   | 15-41mm | 118          | ZB   | 15-32mm |  |              |      |
| 109          | YU   | 15-32mm | 225          | YU   | 15-42mm | 119          | ZB   | 15-32mm |  |              |      |
| 110          | YU   | 15-32mm | 226          | YU   | 15-43mm | 122          | ZB   | 15-32mm |  |              |      |
| 111          | YU   | 15-32mm | 228          | YU   | 15-44mm | 123          | ZB   | 15-32mm |  | ZAS          |      |
| 113          | YU   | 15-32mm | 238          | YU   | 15-45mm | 124          | ZB   | 15-32mm |  | 124          | ZAS  |
| 114          | YU   | 15-32mm | 239          | YU   | 15-46mm | 130          | ZB   | 15-32mm |  | 122          | ZAS  |
| 116          | YU   | 15-32mm | 241          | YU   | 15-47mm | 134          | ZB   | 15-32mm |  | 119          | ZAS  |
| 117          | YU   | 15-32mm | 245          | YU   | 15-48mm | 135          | ZB   | 15-32mm |  | 133          | ZAS  |
| 118          | YU   | 15-32mm | 253          | YU   | 15-49mm | 136          | ZB   | 15-32mm |  |              |      |
| 119          | YU   | 15-32mm | 257          | YU   | 15-50mm | 137          | ZB   | 15-32mm |  | ZBR          |      |
| 121          | YU   | 15-32mm | 259          | YU   | 15-51mm | 140          | ZB   | 15-32mm |  | 135          | ZBR  |
| 122          | YU   | 15-32mm | 265          | YU   | 15-52mm | 141          | ZB   | 15-32mm |  | 137          | ZBR  |
| 123          | YU   | 15-32mm | 281          | YU   | 15-53mm | 149          | ZB   | 15-32mm |  |              |      |
| 124          | YU   | 15-32mm | 106          | YU   | 15-54mm | 152          | ZB   | 15-32mm |  | SP           |      |
| 125          | YU   | 15-32mm |              |      |         | 153          | ZB   | 15-32mm |  | 58           | SP   |



|     |    |         |  |  |  |  |     |    |         |  |         |      |
|-----|----|---------|--|--|--|--|-----|----|---------|--|---------|------|
| 127 | YU | 15-32mm |  |  |  |  | 163 | ZB | 15-32mm |  | 130     | SP   |
| 129 | YU | 15-32mm |  |  |  |  | 169 | ZB | 15-32mm |  | STDN    |      |
| 133 | YU | 15-32mm |  |  |  |  | 219 | ZB | 15-32mm |  | 136     | STDN |
| 134 | YU | 15-32mm |  |  |  |  |     |    |         |  | 173     | STDN |
| 135 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 137 | YU | 15-32mm |  |  |  |  |     |    |         |  | ZD      |      |
| 140 | YU | 15-32mm |  |  |  |  |     |    |         |  | 111     | ZD   |
| 141 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 142 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 144 | YU | 15-32mm |  |  |  |  |     |    |         |  | RPP8M   |      |
| 145 | YU | 15-32mm |  |  |  |  |     |    |         |  | 776     | RPP  |
| 146 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 147 | YU | 15-32mm |  |  |  |  |     |    |         |  | ZAD     |      |
| 148 | YU | 15-32mm |  |  |  |  |     |    |         |  | 88      | ZAD  |
| 152 | YU | 15-32mm |  |  |  |  |     |    |         |  | 111     | ZAD  |
| 153 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 154 | YU | 15-32mm |  |  |  |  |     |    |         |  | 8RPP    |      |
| 155 | YU | 15-32mm |  |  |  |  |     |    |         |  | 193     | 8RPP |
| 156 | YU | 15-32mm |  |  |  |  |     |    |         |  | 129     | 8RPP |
| 159 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 164 | YU | 15-32mm |  |  |  |  |     |    |         |  |         |      |
| 168 | YU | 15-32mm |  |  |  |  |     |    |         |  | HBNR125 |      |
| 169 | YU | 15-32mm |  |  |  |  |     |    | RPP     |  | SHPN158 |      |
| 170 | YU | 15-32mm |  |  |  |  |     |    |         |  | SHPN125 |      |
| 173 | YU | 15-32mm |  |  |  |  |     |    |         |  | SHPN129 |      |
| 177 | YU | 15-32mm |  |  |  |  |     |    |         |  | SHDS154 |      |
| 187 | YU | 15-32mm |  |  |  |  |     |    |         |  | SHX119  |      |

**Tips:** 汽车同步带结构（Timing Belt Structure）

- 1.Top rubber:**(CR HNBR) to protect the lining tensile member
- 2.Teeth rubber:**protect the adhesive force of the tensile member & maintain the shape of the rubber(CR,HNBR)
- 3.Tensile member:**critical material to pass the dynamic force (Glass fiber)
- 4.Teeth fabric:**maintain the rubber teeth shape

# 邢台盛凯源实业集团

XTSKY INDUSTRIAL GROUP LIMITED

Add: Add: Xingtai Industrial zone, Xingtai city, Hebei province, China

Tel: +86-319-2608697 Fax: +86-319-2608698


Mobile: +86-13722498663

E-mail: xtskygroup\_henry@yahoo.com

ceo@xtskygroup.com

Skype: xtskygroup\_henry

www.xtskygroup.com



多楔带 Poly-rib Belt

Specification Poly-rib Belt for auto car

## V-Ribbed Belt

氯丁胶 (CR) 和三元乙丙胶 (EPDM) Neoprene (CR) and EPDM rubber (EPDM)

多楔带产品的特点如下:

With characters of V belt and flat belts, V-Ribbed belt has soft and tough property as flat belt and tight and effective property as V belt.

多楔带传动功率大, 空间相同时比普通 V 带的传动功率的高 30%。

多楔带传动系统结构紧凑, 在相同的传动功率情况下, 传递装置所占空间比普通 V 带小 25%;

Transmission power so high that at the same condition its 30% higher than common V belts.

With tight transmission system, at the same transmission power, its occupied space is 25% smaller than common V belt.


多楔带带体薄, 富有柔软性, 适应带轮直径小的传动, 也适应高速传动, 带速可达 40m/s; 振动小, 发热少, 运转平稳;

多楔带耐热、耐油、耐磨, 使用伸长小, 寿命长。

Flat and soft belt is suitable not only for transmission of small pulley but also for high-speed transmission with speed of 40m/s, Besides its characteristics as slight vibration, few heat diverge and steady working.

Anti-heat, anti-oil, anti-wearing out few elongation and long life





规格型号标记  
Example of mark



多楔带各型号参数 V-Ribbed Belt

| 型 号 Type | 楔 距 Pb | 带 高 h | 楔 角 a° | 查 看 Details  |
|----------|--------|-------|--------|--------------|
| PH       | 1.6    | 3     | 40     | 详细规格 Details |
| PJ       | 2.34   | 4     | 40     | 详细规格 Details |
| PK       | 3.56   | 6     | 40     | 详细规格 Details |
| PL       | 4.7    | 10    | 40     | 详细规格 Details |
| PM       | 9.4    | 17    | 40     |              |

| 楔数   | 规格型号          | 切边长度   | 楔数   | 规格型号          | 切边长度   |
|------|---------------|--------|------|---------------|--------|
| Rib  | Specification | length | Rib  | Specification | length |
| PK   |               |        | PK   |               |        |
| 3-50 | PK500         | 500    | 3-50 | 1040          | 1040   |
| 3-50 | PK510         | 510    | 3-50 | 1050          | 1050   |
| 3-50 | PK520         | 520    | 3-50 | 1060          | 1060   |
| 3-50 | PK530         | 530    | 3-50 | 1070          | 1070   |
| 3-50 | PK540         | 540    | 3-50 | 1080          | 1080   |
| 3-50 | PK550         | 550    | 3-50 | 1090          | 1090   |
| 3-50 | PK560         | 560    | 3-50 | 1100          | 1100   |
| 3-50 | PK570         | 570    | 3-50 | 1110          | 1110   |
| 3-50 | PK580         | 580    | 3-50 | 1120          | 1120   |

| 楔数      | 规格型号          | 切边长度   |
|---------|---------------|--------|
| Rib QTY | Specification | length |
| PK      |               |        |
| 3-50    | 1580          | 1580   |
| 3-50    | 1590          | 1590   |
| 3-50    | 1600          | 1600   |
| 3-50    | 1610          | 1610   |
| 3-50    | 1620          | 1620   |
| 3-50    | 1630          | 1630   |
| 3-50    | 1640          | 1640   |
| 3-50    | 1650          | 1650   |
| 3-50    | 1660          | 1660   |

|      |       |     |      |      |
|------|-------|-----|------|------|
| 3-50 | PK590 | 590 | 3-50 | 1130 |
| 3-50 | PK600 | 600 | 3-50 | 1140 |
| 3-50 | PK610 | 610 | 3-50 | 1150 |
| 3-50 | PK620 | 620 | 3-50 | 1160 |
| 3-50 | PK630 | 630 | 3-50 | 1170 |
| 3-50 | PK640 | 640 | 3-50 | 1180 |
| 3-50 | PK650 | 650 | 3-50 | 1190 |
| 3-50 | PK660 | 660 | 3-50 | 1200 |
| 3-50 | PK670 | 670 | 3-50 | 1210 |
| 3-50 | PK680 | 680 | 3-50 | 1220 |
| 3-50 | PK690 | 690 | 3-50 | 1230 |
| 3-50 | PK700 | 700 | 3-50 | 1240 |
| 3-50 | PK710 | 710 | 3-50 | 1250 |
| 3-50 | PK720 | 720 | 3-50 | 1260 |
| 3-50 | PK730 | 730 | 3-50 | 1270 |
| 3-50 | PK740 | 740 | 3-50 | 1280 |
| 3-50 | PK750 | 750 | 3-50 | 1290 |
| 3-50 | PK760 | 760 | 3-50 | 1300 |
| 3-50 | PK770 | 770 | 3-50 | 1310 |
| 3-50 | PK780 | 780 | 3-50 | 1320 |
| 3-50 | PK790 | 790 | 3-50 | 1330 |
| 3-50 | PK800 | 800 | 3-50 | 1340 |
| 3-50 | PK810 | 810 | 3-50 | 1350 |
| 3-50 | PK820 | 820 | 3-50 | 1360 |
| 3-50 | PK830 | 830 | 3-50 | 1370 |
| 3-50 | PK840 | 840 | 3-50 | 1380 |
| 3-50 | PK850 | 850 | 3-50 | 1390 |
| 3-50 | PK860 | 860 | 3-50 | 1400 |
| 3-50 | PK870 | 870 | 3-50 | 1410 |
| 3-50 | PK880 | 880 | 3-50 | 1420 |
| 3-50 | PK890 | 890 | 3-50 | 1430 |
| 3-50 | PK900 | 900 | 3-50 | 1440 |
| 3-50 | PK910 | 910 | 3-50 | 1450 |
| 3-50 | PK920 | 920 | 3-50 | 1460 |
| 3-50 | PK930 | 930 | 3-50 | 1470 |
| 3-50 | PK940 | 940 | 3-50 | 1480 |

|      |
|------|
| 1130 |
| 1140 |
| 1150 |
| 1160 |
| 1170 |
| 1180 |
| 1190 |
| 1200 |
| 1210 |
| 1220 |
| 1230 |
| 1240 |
| 1250 |
| 1260 |
| 1270 |
| 1280 |
| 1290 |
| 1300 |
| 1310 |
| 1320 |
| 1330 |
| 1340 |
| 1350 |
| 1360 |
| 1370 |
| 1380 |
| 1390 |
| 1400 |
| 1410 |
| 1420 |
| 1430 |
| 1440 |
| 1450 |
| 1460 |
| 1470 |
| 1480 |

|      |      |      |
|------|------|------|
| 3-50 | 1670 | 1670 |
| 3-50 | 1680 | 1680 |
| 3-50 | 1690 | 1690 |
| 3-50 | 1700 | 1700 |
| 3-50 | 1710 | 1710 |
| 3-50 | 1720 | 1720 |
| 3-50 | 1730 | 1730 |
| 3-50 | 1740 | 1740 |
| 3-50 | 1750 | 1750 |
| 3-50 | 1760 | 1760 |
| 3-50 | 1770 | 1770 |
| 3-50 | 1780 | 1780 |
| 3-50 | 1790 | 1790 |
| 3-50 | 1800 | 1800 |
| 3-50 | 1810 | 1810 |
| 3-50 | 1820 | 1820 |
| 3-50 | 1830 | 1830 |
| 3-50 | 1840 | 1840 |
| 3-50 | 1850 | 1850 |
| 3-50 | 1860 | 1860 |
| 3-50 | 1870 | 1870 |
| 3-50 | 1880 | 1880 |
| 3-50 | 1890 | 1890 |
| 3-50 | 1900 | 1900 |
| 3-50 | 1910 | 1910 |
| 3-50 | 1920 | 1920 |
| 3-50 | 1930 | 1930 |
| 3-50 | 1940 | 1940 |
| 3-50 | 1950 | 1950 |
| 3-50 | 1960 | 1960 |
| 3-50 | 1970 | 1970 |
| 3-50 | 1980 | 1980 |
| 3-50 | 1990 | 1990 |
| 3-50 | 2000 | 2000 |
| 3-50 | 2010 | 2010 |
| 3-50 | 2020 | 2020 |



|      |        |      |      |      |      |
|------|--------|------|------|------|------|
| 3-50 | PK950  | 950  | 3-50 | 1490 | 1490 |
| 3-50 | PK960  | 960  | 3-50 | 1500 | 1500 |
| 3-50 | PK970  | 970  | 3-50 | 1510 | 1510 |
| 3-50 | PK980  | 980  | 3-50 | 1520 | 1520 |
| 3-50 | PK990  | 990  | 3-50 | 1530 | 1530 |
| 3-50 | PK1000 | 1000 | 3-50 | 1540 | 1540 |
| 3-50 | PK1010 | 1010 | 3-50 | 1550 | 1550 |
| 3-50 | PK1020 | 1020 | 3-50 | 1560 | 1560 |
| 3-50 | PK1030 | 1030 | 3-50 | 1570 | 1570 |

|      |      |      |
|------|------|------|
| 3-50 | 2030 | 2030 |
| 3-50 | 2040 | 2040 |
| 3-50 | 2050 | 2050 |
| 3-50 | 2060 | 2060 |
| 3-50 | 2070 | 2070 |
| 3-50 | 2080 | 2080 |
| 3-50 | 2090 | 2090 |
| 3-50 | 2100 | 2100 |
| 3-50 | 2110 | 2110 |

| 楔数      | 规格型号                 | 切边长度             | 楔数      | 规格型号                 | 切边长度   |
|---------|----------------------|------------------|---------|----------------------|--------|
| Rib QTY | Specification Number | Secton in Length | Rib QTY | Specification Number | length |
| PK      |                      |                  | PK      |                      |        |
| 3-50    | 2120                 | 2120             | 3-50    | 2660                 | 2660   |
| 3-50    | 2130                 | 2130             | 3-50    | 2670                 | 2670   |
| 3-50    | 2140                 | 2140             | 3-50    | 2680                 | 2680   |
| 3-50    | 2150                 | 2150             | 3-50    | 2690                 | 2690   |
| 3-50    | 2160                 | 2160             | 3-50    | 2700                 | 2700   |
| 3-50    | 2170                 | 2170             | 3-50    | 2710                 | 2710   |
| 3-50    | 2180                 | 2180             | 3-50    | 2720                 | 2720   |
| 3-50    | 2190                 | 2190             | 3-50    | 2730                 | 2730   |
| 3-50    | 2200                 | 2200             | 3-50    | 2740                 | 2740   |
| 3-50    | 2210                 | 2210             | 3-50    | 2750                 | 2750   |
| 3-50    | 2220                 | 2220             | 3-50    | 2760                 | 2760   |
| 3-50    | 2230                 | 2230             | 3-50    | 2770                 | 2770   |
| 3-50    | 2240                 | 2240             | 3-50    | 2780                 | 2780   |
| 3-50    | 2250                 | 2250             | 3-50    | 2790                 | 2790   |
| 3-50    | 2260                 | 2260             | 3-50    | 2800                 | 2800   |
| 3-50    | 2270                 | 2270             | 3-50    | 2810                 | 2810   |
| 3-50    | 2280                 | 2280             | 3-50    | 2820                 | 2820   |
| 3-50    | 2290                 | 2290             | 3-50    | 2830                 | 2830   |
| 3-50    | 2300                 | 2300             | 3-50    | 2840                 | 2840   |
| 3-50    | 2310                 | 2310             | 3-50    | 2850                 | 2850   |

| 楔数      | 规格型号                 | 切边长度   |
|---------|----------------------|--------|
| Rib QTY | Specification Number | length |
| PK      |                      |        |

|      |      |      |      |      |      |
|------|------|------|------|------|------|
| 3-50 | 2320 | 2320 | 3-50 | 2860 | 2860 |
| 3-50 | 2330 | 2330 | 3-50 | 2870 | 2870 |
| 3-50 | 2340 | 2340 | 3-50 | 2880 | 2880 |
| 3-50 | 2350 | 2350 | 3-50 | 2890 | 2890 |
| 3-50 | 2360 | 2360 | 3-50 | 2900 | 2900 |
| 3-50 | 2370 | 2370 | 3-50 | 2910 | 2910 |
| 3-50 | 2380 | 2380 | 3-50 | 2920 | 2920 |
| 3-50 | 2390 | 2390 | 3-50 | 2930 | 2930 |
| 3-50 | 2400 | 2400 | 3-50 | 2940 | 2940 |
| 3-50 | 2410 | 2410 | 3-50 | 2950 | 2950 |
| 3-50 | 2420 | 2420 | 3-50 | 2960 | 2960 |
| 3-50 | 2430 | 2430 | 3-50 | 2970 | 2970 |
| 3-50 | 2440 | 2440 | 3-50 | 2980 | 2980 |
| 3-50 | 2450 | 2450 | 3-50 | 2990 | 2990 |
| 3-50 | 2460 | 2460 | 3-50 | 3000 | 3000 |
| 3-50 | 2470 | 2470 | 3-50 | 3010 | 3010 |
| 3-50 | 2480 | 2480 | 3-50 | 3020 | 3020 |
| 3-50 | 2490 | 2490 | 3-50 | 3030 | 3030 |
| 3-50 | 2500 | 2500 | 3-50 | 3040 | 3040 |
| 3-50 | 2510 | 2510 | 3-50 | 3050 | 3050 |
| 3-50 | 2520 | 2520 | 3-50 | 3060 | 3060 |
| 3-50 | 2530 | 2530 | 3-50 | 3070 | 3070 |
| 3-50 | 2540 | 2540 | 3-50 | 3080 | 3080 |
| 3-50 | 2550 | 2550 | 3-50 | 3090 | 3090 |
| 3-50 | 2560 | 2560 | 3-50 | 3100 | 3100 |
| 3-50 | 2570 | 2570 | 3-50 | 3110 | 3110 |
| 3-50 | 2580 | 2580 | 3-50 | 3120 | 3120 |
| 3-50 | 2590 | 2590 | 3-50 | 3130 | 3130 |
| 3-50 | 2600 | 2600 | 3-50 | 3140 | 3140 |
| 3-50 | 2610 | 2610 | 3-50 | 3150 | 3150 |
| 3-50 | 2620 | 2620 | 3-50 | 3160 | 3160 |
| 3-50 | 2630 | 2630 | 3-50 | 3170 | 3170 |
| 3-50 | 2640 | 2640 | 3-50 | 3180 | 3180 |
| 3-50 | 2650 | 2650 | 3-50 | 3190 | 3190 |

|                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Tips: 皮帶使用小知識</b>                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <p>置防護罩；</p> <p>多楔帶帶輪是否偏斜，調整帶輪位置；</p> <p>多楔帶在产品使用中出現振動大；</p> <p>可能是皮帶張力過小，應適當加大張力；</p> <p><b>多楔帶產品使用中出現楔損壞：</b></p> <p>多楔帶帶輪和皮帶的規格型號不匹配；</p> <p>多楔帶帶楔沾上溶劑或其它化學藥品；</p> <p>多楔帶皮帶使用環境溫度太高，應改善冷卻方法；</p> <p>多楔帶帶輪的工藝參數不符合標準或帶輪生銹。</p>                                        | <p>protective enclosures;</p> <p>V-Ribbed Belt pulley is skewed, adjust pulley position;</p> <p>V-Ribbed Belt in products used in a large vibration;</p> <p>May belt tension is too small, should be appropriately increased tension;</p> <p><b>V-Ribbed Belt products use a wedge damage:</b></p> <p>V-Ribbed Belt pulley and belt models do not match the specifications;</p> <p>V-Ribbed Belt belt wedge solvents or other chemicals stained;</p> <p>V-Ribbed Belt belt use ambient temperature is too high, should be improved cooling methods;</p> <p>V-Ribbed Belt pulley process parameters do not meet standards or pulley rusty.</p>                                                                                                                                                                                                                                                                                                                                                                                          |
| <p><b>氫化丁腈橡膠在汽車同步帶中的應用：</b></p> <p>現代汽車由於對節能、環保、舒適、安全等的要求越來越高，使得整個發動機室結構複雜、緊湊，工作時溫度較高，其中的橡膠件</p>                                                                                                                                                                        | <p>HNBR Automotive Timing belt in the application:</p> <p>Hyundai Motor because of energy-saving, environmental protection, comfort,</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <p><b>汽車同步帶原料：</b>採用日本進口優質合成氯丁膠（或氫化丁腈橡膠）為主要原料，配入多種不同用途的輔料；骨架材料為日本進口優質玻璃纖維線繩；帶齒表面採用尼龍 66 高彈力布做保護，並嚴格按照技術規範製作。具有外觀整潔、齒形飽滿、使用壽命長、噪 音 低 等 特 點 。</p>                                                                                                                         | <p><b>Automotive Timing Belt Mold List (List data adjusted monthly)</b></p> <p>Automotive Timing belt raw materials: high-quality Japanese imports of neoprene (or hydrogenated nitrile rubber) as the main raw materials, distribution of the supplies, a variety of different uses; skeleton materials for the Japanese import quality glass fiber cord; nylon belt tooth surface 66 high elastic fabrics do protection, and in strict accordance with the technical specifications produced. A look clean, full profile, long service life, low noise</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <p>應具有耐高溫的性能。隨著發動機潤滑技術的改進，潤滑油中採用了新的添加劑，因此對發動機中的橡膠件的耐油性能提出了更高的要求。另一方面，較長的維修期，對橡膠件的耐久性的要求也越來越高。現代汽車要求橡膠件在一定的耐油條件下能在-40℃～+150℃傳動帶是汽車重要的橡膠件，包括 OHC 發動機用的時規帶即同步帶，汽車輔助傳動用的汽車 V 帶和多楔帶，以及新近發展的無級變速機構（CTV）用的變速 V 帶。自 1975 年 HNBR 首件專利公布以來，HNBR 已逐漸發展成為當今世界汽車同步帶生產首選的標準彈性體材料。</p> | <p>and security requirements increasing, making the whole engine room structure complex, compact, high working temperature, the rubber pieces which should have high temperatures performance. With the improved engine lubrication technology, the lubricants used in a new additive, in the engine oil resistance of the rubber pieces to a higher demand. On the other hand, long maintenance period, the durability of rubber pieces there are increasingly high requirements. Hyundai Motor rubber pieces require oil resistance in certain conditions in the -40 ° C to +150 ° C transmission belt is the important automotive rubber parts, including OHC engine when used with the regulation that is synchronous belt, automotive auxiliary drive V-belt use in cars and multi-wedge zone and the newly developed CVT institutions (CTV) by the variable V-belt. Since 1975 HNBR announcement of the first patents, HNBR is becoming today's world car production preferred standard synchronous belt elastomer material.</p> |

# 邢台盛凯源实业集团

## XTSKY INDUSTRIAL GROUP LIMITED

Add: Add: Xingtai Industrial zone, Xingtai city, Hebei province, China

Tel: +86-319-2608697 Fax: +86-319-2608698

Mobile: +86-13722498663

E-mail: xtskygroup\_henry@yahoo.com

ceo@xtskygroup.com

Skype: xtskygroup\_henry

www.xtskygroup.com

### (Wrapped Type / Raw Edge Cogged Type)

Widely-used power transmission belt.

Cost efficient, readily available, easily changeable

#### Product Code

**A-40**

Belt Type


Belt Code (inch)

● Belt code is nominal length in inch

包布v带

切割齿形v带

#### Cross-Sectional Dimensions



# Standard Belt Sizes

## Z(10), ZX

| Belt Code | Inside Length<br>Li (mm) | Datum Length<br>Ld (mm) | Belt Code | Inside Length<br>Li (mm) | Datum Length<br>Ld (mm) |
|-----------|--------------------------|-------------------------|-----------|--------------------------|-------------------------|
| 20        | 515                      | 537                     | 38.5      | 975                      | 997                     |
| 20.5      | 525                      | 547                     | 39        | 990                      | 1012                    |
| 21        | 530                      | 552                     | 39.5      | 1000                     | 1022                    |
| 21.5      | 550                      | 572                     | 40        | 1016                     | 1038                    |
| 22        | 560                      | 582                     | 40.5      | 1030                     | 1052                    |
| 22.5      | 575                      | 597                     | 41        | 1041                     | 1063                    |
| 23        | 585                      | 607                     | 41.5      | 1050                     | 1072                    |
| 23.5      | 600                      | 622                     | 42        | 1060                     | 1082                    |
| 24        | 610                      | 632                     | 42.25     | 1075                     | 1097                    |
| 24.5      | 620                      | 642                     | 42.5      | 1080                     | 1102                    |
| 25        | 630                      | 652                     | 43        | 1090                     | 1112                    |
| 25.5      | 650                      | 672                     | 43.5      | 1105                     | 1127                    |
| 26        | 660                      | 682                     | 44        | 1120                     | 1142                    |
| 26.5      | 670                      | 692                     | 45        | 1140                     | 1162                    |
| 27        | 685                      | 707                     | 45.5      | 1150                     | 1172                    |
| 27.5      | 700                      | 722                     | 46        | 1165                     | 1187                    |
| 28        | 710                      | 732                     | 47        | 1194                     | 1216                    |
| 28.5      | 725                      | 747                     | 47.5      | 1215                     | 1237                    |
| 29        | 730                      | 752                     | 48        | 1225                     | 1247                    |
| 29.5      | 750                      | 772                     | 49        | 1250                     | 1272                    |
| 30        | 765                      | 787                     | 50        | 1270                     | 1292                    |
| 30.5      | 775                      | 797                     | 51        | 1295                     | 1317                    |
| 31        | 790                      | 812                     | 51.5      | 1310                     | 1332                    |
| 31.5      | 800                      | 822                     | 52        | 1320                     | 1342                    |



|      |     |     |      |      |      |
|------|-----|-----|------|------|------|
| 31.5 | 800 | 822 | 52   | 1320 | 1342 |
| 32   | 820 | 842 | 52.5 | 1330 | 1352 |
| 32.5 | 825 | 847 | 53   | 1346 | 1368 |
| 33   | 840 | 862 | 54   | 1371 | 1393 |
| 33.5 | 850 | 872 | 55   | 1400 | 1422 |
| 34   | 865 | 887 | 56   | 1422 | 1444 |
| 34.5 | 875 | 897 | 57   | 1450 | 1472 |
| 35   | 890 | 912 | 58   | 1475 | 1497 |
| 35.5 | 900 | 922 | 59   | 1500 | 1522 |
| 36   | 915 | 937 | 60   | 1525 | 1547 |
| 36.5 | 925 | 947 |      |      |      |
| 37   | 940 | 962 |      |      |      |
| 37.5 | 950 | 972 |      |      |      |
| 38   | 965 | 987 |      |      |      |


Size range : 18.5" - 93"

| A(13), AX |                      |                     |           |                      |                     |           |                      |                     |           |                      |                     |
|-----------|----------------------|---------------------|-----------|----------------------|---------------------|-----------|----------------------|---------------------|-----------|----------------------|---------------------|
| Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) |
| 20        | 508                  | 538                 | 57        | 1450                 | 1480                | 94        | 2388                 | 2418                | 165       | 4200                 | 4230                |
| 21        | 535                  | 565                 | 58        | 1475                 | 1505                | 95        | 2413                 | 2443                | 167       | 4250                 | 4280                |
| 22        | 560                  | 590                 | 59        | 1500                 | 1530                | 96        | 2438                 | 2468                | 170       | 4318                 | 4348                |
| 23        | 585                  | 615                 | 60        | 1525                 | 1555                | 97        | 2464                 | 2494                | 173       | 4394                 | 4424                |
| 24        | 610                  | 640                 | 61        | 1550                 | 1580                | 98        | 2500                 | 2530                | 176       | 4470                 | 4500                |
| 25        | 630                  | 660                 | 62        | 1575                 | 1605                | 99        | 2515                 | 2545                | 180       | 4572                 | 4602                |
| 26        | 660                  | 690                 | 63        | 1600                 | 1630                | 100       | 2540                 | 2570                | 185       | 4700                 | 4730                |
| 27        | 686                  | 716                 | 64        | 1625                 | 1655                | 101       | 2565                 | 2595                | 187       | 4750                 | 4780                |
| 28        | 710                  | 740                 | 65        | 1650                 | 1680                | 102       | 2591                 | 2621                | 190       | 4825                 | 4855                |
| 29        | 730                  | 760                 | 66        | 1676                 | 1706                | 103       | 2616                 | 2646                | 195       | 4950                 | 4980                |
| 30        | 767                  | 797                 | 67        | 1700                 | 1730                | 104       | 2650                 | 2680                | 197       | 5000                 | 5030                |
| 31        | 787                  | 817                 | 68        | 1725                 | 1755                | 105       | 2667                 | 2697                | 200       | 5080                 | 5110                |
| 32        | 813                  | 843                 | 69        | 1750                 | 1780                | 106       | 2692                 | 2722                |           |                      |                     |
| 33        | 838                  | 868                 | 70        | 1775                 | 1805                | 107       | 2725                 | 2755                |           |                      |                     |
| 34        | 864                  | 894                 | 71        | 1800                 | 1830                | 108       | 2743                 | 2773                |           |                      |                     |
| 35        | 889                  | 919                 | 72        | 1825                 | 1855                | 109       | 2769                 | 2799                |           |                      |                     |
| 36        | 914                  | 944                 | 73        | 1854                 | 1884                | 110       | 2800                 | 2830                |           |                      |                     |
| 37        | 940                  | 970                 | 74        | 1880                 | 1910                | 112       | 2845                 | 2875                |           |                      |                     |
| 38        | 965                  | 995                 | 75        | 1900                 | 1930                | 115       | 2921                 | 2951                |           |                      |                     |
| 39        | 990                  | 1020                | 76        | 1930                 | 1960                | 116       | 2946                 | 2976                |           |                      |                     |
| 40        | 1016                 | 1046                | 77        | 1956                 | 1986                | 118       | 3000                 | 3030                |           |                      |                     |
| 41        | 1041                 | 1071                | 78        | 1980                 | 2010                | 120       | 3048                 | 3078                |           |                      |                     |
| 42        | 1060                 | 1090                | 79        | 2000                 | 2030                | 122       | 3100                 | 3130                |           |                      |                     |
| 43        | 1100                 | 1130                | 80        | 2032                 | 2062                | 124       | 3150                 | 3180                |           |                      |                     |
| 44        | 1120                 | 1150                | 81        | 2060                 | 2090                | 125       | 3175                 | 3205                |           |                      |                     |
| 45        | 1143                 | 1173                | 82        | 2083                 | 2113                | 128       | 3250                 | 3280                |           |                      |                     |
| 46        | 1168                 | 1198                | 83        | 2110                 | 2140                | 130       | 3300                 | 3330                |           |                      |                     |

Size range : 20" - 360"

|    |      |      |    |      |      |     |      |      |  |  |  |
|----|------|------|----|------|------|-----|------|------|--|--|--|
| 46 | 1168 | 1198 | 83 | 2110 | 2140 | 130 | 3300 | 3330 |  |  |  |
| 47 | 1200 | 1230 | 84 | 2134 | 2164 | 134 | 3400 | 3430 |  |  |  |
| 48 | 1220 | 1250 | 85 | 2160 | 2190 | 135 | 3425 | 3455 |  |  |  |
| 49 | 1250 | 1280 | 86 | 2180 | 2210 | 136 | 3454 | 3484 |  |  |  |
| 50 | 1270 | 1300 | 87 | 2210 | 2240 | 140 | 3550 | 3580 |  |  |  |
| 51 | 1300 | 1330 | 88 | 2240 | 2270 | 144 | 3658 | 3688 |  |  |  |
| 52 | 1320 | 1350 | 89 | 2260 | 2290 | 150 | 3810 | 3840 |  |  |  |
| 53 | 1350 | 1380 | 90 | 2286 | 2316 | 150 | 3810 | 3840 |  |  |  |
| 54 | 1375 | 1405 | 91 | 2310 | 2340 | 158 | 4000 | 4030 |  |  |  |
| 55 | 1400 | 1430 | 92 | 2337 | 2367 | 160 | 4064 | 4094 |  |  |  |
| 56 | 1422 | 1452 | 93 | 2360 | 2390 | 162 | 4115 | 4145 |  |  |  |

All dimensions are nominal values.

 : Available sizes for raw edge cogged belt AX

| B(17), BX |                      |                     |           |                      |                     |           |                      |                     |           |                      |                     |
|-----------|----------------------|---------------------|-----------|----------------------|---------------------|-----------|----------------------|---------------------|-----------|----------------------|---------------------|
| Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) |
| 20        | 510                  | 553                 | 55        | 1400                 | 1443                | 92        | 2337                 | 2380                | 138       | 3500                 | 3543                |
| 21        | 535                  | 578                 | 56        | 1425                 | 1468                | 93        | 2360                 | 2403                | 140       | 3550                 | 3593                |
| 22        | 560                  | 603                 | 57        | 1450                 | 1493                | 94        | 2388                 | 2431                | 142       | 3600                 | 3643                |
| 23        | 585                  | 628                 | 58        | 1475                 | 1518                | 95        | 2413                 | 2456                | 144       | 3658                 | 3701                |
| 24        | 615                  | 658                 | 59        | 1500                 | 1543                | 96        | 2438                 | 2481                | 145       | 3675                 | 3718                |
| 25        | 630                  | 673                 | 60        | 1525                 | 1568                | 97        | 2465                 | 2508                | 146       | 3700                 | 3743                |
| 26        | 660                  | 703                 | 61        | 1550                 | 1593                | 98        | 2500                 | 2543                | 148       | 3750                 | 3793                |
| 27        | 686                  | 729                 | 62        | 1575                 | 1618                | 99        | 2515                 | 2558                | 150       | 3810                 | 3853                |
| 28        | 710                  | 753                 | 63        | 1600                 | 1643                | 100       | 2540                 | 2583                | 152       | 3861                 | 3904                |
| 29        | 735                  | 778                 | 64        | 1625                 | 1668                | 101       | 2565                 | 2608                | 154       | 3912                 | 3955                |
| 30        | 762                  | 805                 | 65        | 1650                 | 1693                | 102       | 2600                 | 2643                | 155       | 3937                 | 3980                |
| 29        | 735                  | 778                 | 66        | 1675                 | 1718                | 103       | 2616                 | 2659                | 156       | 3950                 | 3993                |
| 30        | 762                  | 805                 | 67        | 1700                 | 1743                | 104       | 2650                 | 2693                | 158       | 4000                 | 4043                |
| 31        | 785                  | 828                 | 68        | 1725                 | 1768                | 105       | 2667                 | 2710                | 160       | 4065                 | 4108                |
| 32        | 813                  | 856                 | 69        | 1750                 | 1793                | 106       | 2700                 | 2743                | 162       | 4115                 | 4158                |
| 33        | 838                  | 881                 | 70        | 1775                 | 1818                | 107       | 2718                 | 2761                | 164       | 4165                 | 4208                |
| 34        | 865                  | 908                 | 71        | 1800                 | 1843                | 108       | 2750                 | 2793                | 165       | 4200                 | 4243                |
| 35        | 889                  | 932                 | 72        | 1825                 | 1868                | 110       | 2800                 | 2843                | 166       | 4215                 | 4258                |
| 36        | 915                  | 958                 | 73        | 1850                 | 1893                | 112       | 2845                 | 2888                | 169       | 4300                 | 4343                |
| 37        | 940                  | 983                 | 74        | 1880                 | 1923                | 113       | 2870                 | 2913                | 170       | 4318                 | 4361                |
| 38        | 965                  | 1008                | 75        | 1900                 | 1943                | 114       | 2900                 | 2943                | 173       | 4394                 | 4437                |
| 39        | 991                  | 1034                | 76        | 1930                 | 1973                | 115       | 2921                 | 2964                | 175       | 4450                 | 4493                |
| 40        | 1016                 | 1059                | 77        | 1950                 | 1993                | 116       | 2950                 | 2993                | 177       | 4500                 | 4543                |
| 41        | 1040                 | 1083                | 78        | 1981                 | 2024                | 117       | 2972                 | 3015                | 180       | 4572                 | 4615                |
| 42        | 1060                 | 1103                | 79        | 2000                 | 2043                | 118       | 3000                 | 3043                | 185       | 4700                 | 4743                |
| 43        | 1090                 | 1133                | 80        | 2032                 | 2075                | 120       | 3048                 | 3091                | 188       | 4775                 | 4818                |
| 44        | 1120                 | 1163                | 81        | 2060                 | 2103                | 122       | 3099                 | 3142                | 190       | 4826                 | 4869                |
| 45        | 1150                 | 1193                | 82        | 2083                 | 2126                | 124       | 3150                 | 3193                | 192       | 4875                 | 4918                |
| 46        | 1175                 | 1218                | 83        | 2100                 | 2143                | 125       | 3175                 | 3218                | 195       | 4953                 | 4996                |
| 47        | 1200                 | 1243                | 84        | 2134                 | 2177                | 126       | 3200                 | 3243                | 197       | 5000                 | 5043                |
| 48        | 1215                 | 1258                | 85        | 2160                 | 2203                | 128       | 3250                 | 3293                | 200       | 5080                 | 5123                |
| 49        | 1250                 | 1293                | 86        | 2200                 | 2243                | 130       | 3300                 | 3343                | 204       | 5182                 | 5225                |
| 50        | 1275                 | 1318                | 87        | 2210                 | 2253                | 132       | 3350                 | 3393                | 205       | 5200                 | 5243                |
| 51        | 1300                 | 1343                | 88        | 2240                 | 2283                | 133       | 3375                 | 3418                | 210       | 5334                 | 5377                |
| 52        | 1320                 | 1363                | 89        | 2260                 | 2303                | 134       | 3400                 | 3443                | 215       | 5450                 | 5493                |

|    |      |      |    |      |      |     |      |      |     |      |      |
|----|------|------|----|------|------|-----|------|------|-----|------|------|
| 51 | 1300 | 1343 | 88 | 2240 | 2283 | 133 | 3375 | 3418 | 210 | 5334 | 5377 |
| 52 | 1320 | 1363 | 89 | 2260 | 2303 | 134 | 3400 | 3443 | 215 | 5450 | 5493 |
| 53 | 1350 | 1393 | 90 | 2286 | 2329 | 135 | 3425 | 3468 | 218 | 5540 | 5583 |
| 54 | 1372 | 1415 | 91 | 2300 | 2343 | 136 | 3450 | 3493 | 220 | 5600 | 5643 |

| C(22), CX |                         |                        |           |                         |                        |           |                         |                        |           |                         |                        |
|-----------|-------------------------|------------------------|-----------|-------------------------|------------------------|-----------|-------------------------|------------------------|-----------|-------------------------|------------------------|
| Belt Code | Inside Length<br>Li(mm) | Datum Length<br>Ld(mm) | Belt Code | Inside Length<br>Li(mm) | Datum Length<br>Ld(mm) | Belt Code | Inside Length<br>Li(mm) | Datum Length<br>Ld(mm) | Belt Code | Inside Length<br>Li(mm) | Datum Length<br>Ld(mm) |
| 30        | 762                     | 814                    | 67        | 1700                    | 1752                   | 104       | 2642                    | 2694                   | 162       | 4115                    | 4167                   |
| 31        | 787                     | 839                    | 68        | 1725                    | 1777                   | 105       | 2667                    | 2719                   | 164       | 4166                    | 4218                   |
| 32        | 813                     | 865                    | 69        | 1750                    | 1802                   | 106       | 2692                    | 2744                   | 168       | 4267                    | 4319                   |
| 33        | 838                     | 890                    | 70        | 1775                    | 1827                   | 107       | 2718                    | 2770                   | 170       | 4318                    | 4370                   |
| 34        | 864                     | 916                    | 71        | 1800                    | 1852                   | 108       | 2750                    | 2802                   | 173       | 4390                    | 4442                   |
| 35        | 889                     | 941                    | 72        | 1829                    | 1881                   | 110       | 2800                    | 2852                   | 175       | 4445                    | 4497                   |
| 36        | 914                     | 966                    | 73        | 1854                    | 1906                   | 111       | 2819                    | 2871                   | 177       | 4500                    | 4552                   |
| 37        | 940                     | 992                    | 74        | 1880                    | 1932                   | 112       | 2845                    | 2897                   | 180       | 4572                    | 4624                   |
| 38        | 950                     | 1002                   | 75        | 1900                    | 1952                   | 113       | 2870                    | 2922                   | 183       | 4648                    | 4700                   |
| 39        | 975                     | 1027                   | 76        | 1930                    | 1982                   | 114       | 2896                    | 2948                   | 185       | 4700                    | 4752                   |
| 40        | 1000                    | 1052                   | 77        | 1956                    | 2008                   | 115       | 2921                    | 2973                   | 187       | 4750                    | 4802                   |
| 41        | 1030                    | 1082                   | 78        | 1981                    | 2033                   | 116       | 2950                    | 3002                   | 190       | 4825                    | 4877                   |
| 42        | 1075                    | 1127                   | 79        | 2000                    | 2052                   | 118       | 3000                    | 3052                   | 195       | 4950                    | 5002                   |
| 43        | 1090                    | 1142                   | 80        | 2032                    | 2084                   | 120       | 3050                    | 3102                   | 197       | 5000                    | 5052                   |
| 44        | 1120                    | 1172                   | 81        | 2060                    | 2112                   | 122       | 3100                    | 3152                   | 200       | 5080                    | 5132                   |
| 45        | 1150                    | 1202                   | 82        | 2083                    | 2135                   | 123       | 3125                    | 3177                   | 202       | 5131                    | 5183                   |
| 46        | 1175                    | 1227                   | 83        | 2108                    | 2160                   | 124       | 3150                    | 3202                   | 204       | 5182                    | 5234                   |
| 47        | 1200                    | 1252                   | 84        | 2135                    | 2187                   | 125       | 3175                    | 3227                   | 205       | 5207                    | 5259                   |
| 48        | 1220                    | 1272                   | 85        | 2159                    | 2211                   | 126       | 3200                    | 3252                   | 210       | 5334                    | 5386                   |
| 49        | 1250                    | 1302                   | 86        | 2184                    | 2236                   | 128       | 3250                    | 3302                   | 215       | 5461                    | 5513                   |
| 50        | 1270                    | 1322                   | 87        | 2210                    | 2262                   | 129       | 3270                    | 3322                   | 220       | 5600                    | 5652                   |
| 51        | 1295                    | 1347                   | 88        | 2240                    | 2292                   | 130       | 3300                    | 3352                   | 222       | 5639                    | 5691                   |
| 52        | 1320                    | 1372                   | 89        | 2261                    | 2313                   | 132       | 3350                    | 3402                   | 224       | 5690                    | 5742                   |
| 53        | 1350                    | 1402                   | 90        | 2286                    | 2338                   | 134       | 3400                    | 3452                   | 225       | 5715                    | 5767                   |
| 54        | 1375                    | 1427                   | 91        | 2311                    | 2363                   | 136       | 3450                    | 3502                   | 228       | 5791                    | 5843                   |
| 55        | 1400                    | 1452                   | 92        | 2337                    | 2389                   | 138       | 3500                    | 3552                   | 230       | 5842                    | 5894                   |
| 56        | 1425                    | 1477                   | 93        | 2360                    | 2412                   | 140       | 3550                    | 3602                   | 235       | 5970                    | 6022                   |
| 57        | 1450                    | 1502                   | 94        | 2388                    | 2440                   | 142       | 3600                    | 3652                   | 238       | 6045                    | 6097                   |
| 58        | 1475                    | 1527                   | 95        | 2413                    | 2465                   | 144       | 3658                    | 3710                   | 240       | 6096                    | 6148                   |
| 59        | 1500                    | 1552                   | 96        | 2438                    | 2490                   | 146       | 3700                    | 3752                   | 246       | 6250                    | 6302                   |
| 60        | 1525                    | 1577                   | 97        | 2465                    | 2517                   | 148       | 3750                    | 3802                   | 248       | 6300                    | 6352                   |
| 61        | 1550                    | 1602                   | 98        | 2500                    | 2552                   | 150       | 3810                    | 3862                   | 250       | 6350                    | 6402                   |

|    |      |      |     |      |      |     |      |      |     |      |      |
|----|------|------|-----|------|------|-----|------|------|-----|------|------|
| 61 | 1550 | 1602 | 98  | 2500 | 2552 | 150 | 3810 | 3862 | 250 | 6350 | 6402 |
| 62 | 1575 | 1627 | 99  | 2525 | 2577 | 152 | 3861 | 3913 | 256 | 6500 | 6552 |
| 63 | 1600 | 1652 | 100 | 2540 | 2592 | 154 | 3912 | 3964 | 258 | 6553 | 6605 |
| 64 | 1625 | 1677 | 101 | 2560 | 2612 | 155 | 3937 | 3989 | 260 | 6600 | 6652 |
| 65 | 1650 | 1702 | 102 | 2591 | 2643 | 158 | 4000 | 4052 | 264 | 6700 | 6752 |
| 66 | 1675 | 1727 | 103 | 2616 | 2668 | 160 | 4064 | 4116 | 268 | 6800 | 6852 |

| D(32)     |                      |                     |           |                      |                     |                         |                      |                     |
|-----------|----------------------|---------------------|-----------|----------------------|---------------------|-------------------------|----------------------|---------------------|
| Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code               | Inside Length Li(mm) | Datum Length Ld(mm) |
| 100       | 2540                 | 2615                | 168       | 4267                 | 4342                | 265                     | 6725                 | 6800                |
| 103       | 2616                 | 2691                | 170       | 4320                 | 4395                | 268                     | 6800                 | 6875                |
| 104       | 2650                 | 2725                | 172       | 4370                 | 4445                | 270                     | 6850                 | 6925                |
| 105       | 2675                 | 2750                | 173       | 4390                 | 4465                | 275                     | 6985                 | 7060                |
| 108       | 2750                 | 2825                | 174       | 4420                 | 4495                | 280                     | 7100                 | 7175                |
| 110       | 2800                 | 2875                | 175       | 4450                 | 4525                | 285                     | 7250                 | 7325                |
| 112       | 2850                 | 2925                | 176       | 4470                 | 4545                | 290                     | 7375                 | 7450                |
| 115       | 2925                 | 3000                | 178       | 4525                 | 4600                | 295                     | 7500                 | 7575                |
| 118       | 3000                 | 3075                | 180       | 4570                 | 4645                | 300                     | 7620                 | 7695                |
| 120       | 3048                 | 3123                | 182       | 4620                 | 4695                | 310                     | 7875                 | 7950                |
| 122       | 3100                 | 3175                | 184       | 4675                 | 4750                | 330                     | 8380                 | 8455                |
| 124       | 3150                 | 3225                | 185       | 4700                 | 4775                | 350                     | 8900                 | 8975                |
| 126       | 3200                 | 3275                | 186       | 4725                 | 4800                | 370                     | 9400                 | 9475                |
| 128       | 3250                 | 3325                | 188       | 4775                 | 4850                | 390                     | 9900                 | 9975                |
| 130       | 3300                 | 3375                | 190       | 4825                 | 4900                | 400                     | 10160                | 10235               |
| 132       | 3350                 | 3425                | 192       | 4875                 | 4950                | 420                     | 10670                | 10745               |
| 134       | 3400                 | 3475                | 194       | 4925                 | 5000                | 420                     | 10670                | 10745               |
| 135       | 3425                 | 3500                | 195       | 4950                 | 5025                | 450                     | 11430                | 11505               |
| 136       | 3450                 | 3525                | 198       | 5025                 | 5100                | 470                     | 11950                | 12025               |
| 138       | 3500                 | 3575                | 200       | 5080                 | 5155                | 500                     | 12700                | 12775               |
| 140       | 3550                 | 3625                | 205       | 5200                 | 5275                | 540                     | 13720                | 13795               |
| 142       | 3600                 | 3675                | 210       | 5330                 | 5405                | 550                     | 14000                | 14075               |
| 144       | 3658                 | 3733                | 215       | 5450                 | 5525                | 600                     | 15240                | 15315               |
| 146       | 3700                 | 3775                | 217       | 5500                 | 5575                | 630                     | 16000                | 16075               |
| 148       | 3750                 | 3825                | 220       | 5600                 | 5675                | 660                     | 16760                | 16835               |
| 150       | 3810                 | 3885                | 225       | 5715                 | 5790                |                         |                      |                     |
| 152       | 3860                 | 3935                | 228       | 5790                 | 5865                |                         |                      |                     |
| 154       | 3900                 | 3975                | 230       | 5850                 | 5925                |                         |                      |                     |
| 155       | 3925                 | 4000                | 235       | 5970                 | 6045                |                         |                      |                     |
| 156       | 3950                 | 4025                | 236       | 6000                 | 6075                | Size range : 79" - 660" |                      |                     |
| 158       | 4000                 | 4075                | 238       | 6045                 | 6120                |                         |                      |                     |
| 160       | 4060                 | 4135                | 240       | 6096                 | 6171                |                         |                      |                     |



|     |      |      |     |      |      |  |  |  |
|-----|------|------|-----|------|------|--|--|--|
| 160 | 4060 | 4135 | 240 | 6096 | 6171 |  |  |  |
| 162 | 4115 | 4190 | 245 | 6225 | 6300 |  |  |  |
| 164 | 4165 | 4240 | 248 | 6300 | 6375 |  |  |  |
| 165 | 4200 | 4275 | 250 | 6350 | 6425 |  |  |  |
| 166 | 4225 | 4300 | 255 | 6475 | 6550 |  |  |  |
| 167 | 4250 | 4325 | 260 | 6600 | 6675 |  |  |  |

| E(40)     |                      |                     |           |                      |                     |
|-----------|----------------------|---------------------|-----------|----------------------|---------------------|
| Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) | Belt Code | Inside Length Li(mm) | Datum Length Ld(mm) |
| 144       | 3650                 | 3732                | 365       | 9275                 | 9357                |
| 180       | 4575                 | 4657                | 370       | 9400                 | 9482                |
| 185       | 4700                 | 4782                | 375       | 9525                 | 9607                |
| 190       | 4825                 | 4907                | 380       | 9650                 | 9732                |
| 195       | 4950                 | 5032                | 385       | 9775                 | 9857                |
| 200       | 5080                 | 5162                | 390       | 9900                 | 9982                |
| 205       | 5200                 | 5282                | 395       | 10025                | 10107               |
| 210       | 5300                 | 5382                | 400       | 10160                | 10242               |
| 220       | 5600                 | 5682                | 405       | 10300                | 10382               |
| 225       | 5715                 | 5797                | 410       | 10400                | 10482               |
| 230       | 5850                 | 5932                | 415       | 10550                | 10632               |
| 235       | 5970                 | 6052                | 420       | 10670                | 10752               |
| 240       | 6100                 | 6182                | 425       | 10800                | 10882               |
| 245       | 6225                 | 6307                | 430       | 10925                | 11007               |
| 250       | 6350                 | 6432                | 435       | 11050                | 11132               |
| 255       | 6475                 | 6557                | 440       | 11200                | 11282               |
| 260       | 6600                 | 6682                | 445       | 11300                | 11382               |
| 265       | 6730                 | 6812                | 450       | 11430                | 11512               |
| 270       | 6850                 | 6932                | 455       | 11550                | 11632               |
| 275       | 6985                 | 7067                | 460       | 11700                | 11782               |
| 280       | 7100                 | 7182                | 465       | 11800                | 11882               |
| 285       | 7250                 | 7332                | 470       | 11950                | 12032               |
| 290       | 7375                 | 7457                | 475       | 12050                | 12132               |
| 295       | 7500                 | 7582                | 480       | 12190                | 12272               |
| 300       | 7620                 | 7702                | 485       | 12325                | 12407               |
| 305       | 7750                 | 7832                | 490       | 12500                | 12582               |
| 310       | 7875                 | 7957                | 495       | 12575                | 12657               |
| 315       | 8000                 | 8082                | 500       | 12700                | 12782               |
| 320       | 8125                 | 8207                | 540       | 13720                | 13802               |
| 325       | 8250                 | 8332                | 600       | 15240                | 15322               |



|     |      |      |     |       |       |
|-----|------|------|-----|-------|-------|
| 325 | 8250 | 8332 | 600 | 15240 | 15322 |
| 330 | 8380 | 8462 | 660 | 16760 | 16842 |
| 335 | 8500 | 8582 |     |       |       |

# Narrow V-Belt

## 窄V型帶

Suitable for energy-saving / compact design  
 Reduces maintenance costs

Product Code


SPZ—1000

Belt Type

Belt Code (mm)

\* Belt code = belt effective length (mm)

### Cross-Sectional Dimensions



## Standard Belt Sizes


| SPX (SPZX)              |                         |                         |                         |
|-------------------------|-------------------------|-------------------------|-------------------------|
| Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) |
| 487                     | 1112                    | 1937                    | 3450                    |
| 512                     | 1120                    | 1987                    | 3550                    |
| 562                     | 1137                    | 2000                    | 3660                    |
| 587                     | 1140                    | 2030                    | 3750                    |
| 612                     | 1162                    | 2037                    | 4000                    |
| 630                     | 1180                    | 2050                    | 4500                    |
| 637                     | 1187                    | 2060                    |                         |
| 650                     | 1200                    | 2082                    |                         |
| 655                     | 1202                    | 2087                    |                         |
| 662                     | 1212                    | 2120                    |                         |
| 665                     | 1222                    | 2137                    |                         |
| 670                     | 1237                    | 2150                    |                         |

| SPA (SPAX)              |                         |                         |
|-------------------------|-------------------------|-------------------------|
| Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) |
| 732                     | 1407                    | 2360                    |
| 735                     | 1410                    | 2373                    |
| 742                     | 1425                    | 2382                    |
| 757                     | 1432                    | 2407                    |
| 760                     | 1457                    | 2410                    |
| 782                     | 1482                    | 2432                    |
| 800                     | 1485                    | 2482                    |
| 807                     | 1500                    | 2500                    |
| 832                     | 1507                    | 2532                    |
| 850                     | 1532                    | 2550                    |
| 857                     | 1557                    | 2568                    |
| 860                     | 1582                    | 2582                    |

| SPB (SPBX)              |                         |                         |
|-------------------------|-------------------------|-------------------------|
| Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) |
| 1250                    | 2680                    | 4870                    |
| 1260                    | 2700                    | 5000                    |
| 1320                    | 2720                    | 5070                    |
| 1340                    | 2750                    | 5300                    |
| 1400                    | 2800                    | 5380                    |
| 1410                    | 2820                    | 5500                    |
| 1500                    | 2840                    | 5600                    |
| 1510                    | 2900                    | 5680                    |
| 1590                    | 2990                    | 5800                    |
| 1600                    | 3000                    | 5990                    |
| 1690                    | 3070                    | 6000                    |
| 1700                    | 3150                    | 6300                    |

| SPC (SPCX)              |                         |
|-------------------------|-------------------------|
| Pitch Length<br>LW (mm) | Pitch Length<br>LW (mm) |
| 2000                    | 4380                    |
| 2120                    | 4400                    |
| 2240                    | 4420                    |
| 2280                    | 4445                    |
| 2335                    | 4450                    |
| 2360                    | 4500                    |
| 2400                    | 4530                    |
| 2413                    | 4650                    |
| 2425                    | 4720                    |
| 2500                    | 4750                    |
| 2550                    | 4850                    |
| 2580                    | 4900                    |


## Industrial Timing Belt




## 工业同步带

| Type | Pitch<br>Pb(mm) | Tooth height<br>ht(mm) | Belt thickness<br>hs(mm) | Angle $\beta^\circ$ |
|------|-----------------|------------------------|--------------------------|---------------------|
| MXL  | 2.032           | 0.51                   | 1.14                     | 40                  |
| XL   | 5.080           | 1.27                   | 2.30                     | 50                  |
| L    | 9.525           | 1.91                   | 3.60                     | 40                  |
| H    | 12.70           | 2.29                   | 4.30                     | 40                  |
| XH   | 22.225          | 6.35                   | 11.20                    | 40                  |
| XXH  | 31.750          | 9.53                   | 15.70                    | 40                  |
| T2.5 | 2.5             | 0.7                    | 1.30                     | 40                  |
| T5   | 5               | 1.20                   | 2.20                     | 40                  |
| T10  | 10              | 2.50                   | 4.50                     | 40                  |
| T20  | 20              | 5.00                   | 8.00                     | 40                  |
| AT5  | 5               | 1.20                   | 2.70                     | 50                  |
| AT10 | 10              | 2.50                   | 5.00                     | 50                  |
| AT20 | 20              | 5.00                   | 8.00                     | 50                  |


# 圆弧齿工业同步带



HTD



STPD / STS



RPD / HPPD

| Gear code | Type  | Pitch<br>Pb<br>(mm) | Tooth<br>height<br>Ht(mm) | Belt<br>thickness<br>hs(mm) |
|-----------|-------|---------------------|---------------------------|-----------------------------|
| HTD       | 2M    | 2                   | 0.75                      | 1.36                        |
|           | 3M    | 3                   | 1.17                      | 2.4                         |
|           | 5M    | 5                   | 2.06                      | 3.8                         |
|           | 8M    | 8                   | 3.36                      | 6.00                        |
|           | 14M   | 14                  | 6.02                      | 10.00                       |
|           | 20M   | 20                  | 8.4                       | 13.20                       |
| STPD/STS  | S2M   | 2                   | 0.76                      | 1.36                        |
|           | S3M   | 3                   | 1.14                      | 2.20                        |
|           | S4.5M | 4.5                 | 1.71                      | 2.81                        |
|           | S5M   | 5                   | 1.91                      | 3.4                         |
|           | S8M   | 8                   | 3.05                      | 5.3                         |
|           | S14M  | 14                  | 5.3                       | 10.2                        |
| RPP/HPPD  | 2M    | 2                   | 0.76                      | 1.36                        |
|           | 3M    | 3                   | 1.15                      | 1.9                         |
|           | 5M    | 5                   | 1.95                      | 3.5                         |
|           | 8M    | 8                   | 3.2                       | 5.5                         |
|           | 14M   | 14                  | 6.00                      | 10                          |

### 型号标记

T10 × 1250 × 30

width (mm)

Pitch

Type

HTD - 1040 - 8M - 20

width (mm)

Type

Pitch length (mm)

gear code



# Factory profile

Moulds:



Timing belt:



20

Machines:



V-Ribbed Belts:



2012.04.18



V-Ribbed Belt Top-Surface:




Timing Belt Tooth-Surface:



Wrapped/Cogged V belt :



New Craft:





Industrial Timing Belt:



Special Auto Belt:

